



STATE OF LIBYA
MINISTRY OF TRANSPORTATION

دولة ليبيا
وزارة المواصلات

TEL/FAX: + 218 21 5632338
AFS: HLLLYNYN.
Email: ais@caa.gov.ly
Website: www.caa.gov.ly/ais/

CIVIL AVIATION AUTHORITY
AIR NAVIGATION SERVICES DEPARTMENT
AERONAUTICAL INFORMATION SERVICE
(AIS)

AIP
Supplement 06/25
30 MAY 2025

- The Following Supplements Are Still Valid At 00:00 On 30 MAY 2025 , Supplement Not Included Have Either Been Cancelled, Time Expired, Superseded By Another AIP Supplement Or Incorporated In The AIP Libya.
- The checklist displays both AIRAC and NON AIRAC AIP SUP starting from the oldest.

NR/YEAR	Part	Details	WEF	Till
SUP 01/17	AD Zintan HLZN	Aerodrome Geographical And Administrative Data.	21 JUN 2017	PERM
SUP 06/17	AD Labraq HLLQ	1- LAQ VOR/DME Completely Withdrawn 2-AD Fire Fighting CAT (5). 3-New DVOR/DME Installed FRQ 116.3 MHZ COOR N324730.48 E0215714.38 Operational Under Test.	14 SEP 2017	PERM
SUP 07/17	AD Sebha HLLS	1- First 300M OF RWY 13 Closed 2-AD Fire Fighting CAT (6).	14 SEP 2017	UFN
SUP 10/17	AD Ghadames HLTD	AD Fire Fighting CAT (5).	14 SEP 2017	PERM
SUP 11/17	AD Ubari HLUB	AD OPS SR/SS.	14 SEP 2017	UFN
SUP 02/18	ENR	ZAW VOR/DME 117.7 MHZ UNSERVICEABLE.	06 MAR 2018	UFN
SUP 03/18	ENR	WLD VOR/DME 115.9 MHZ UNSERVICEABLE.	06 MAR 2018	UFN
SUP 04/18	ENR	IZD VOR/DME 116.5 MHZ UNSERVICEABLE.	06 MAR 2018	UFN
SUP 07/18	ENR	New Waypoint (RAKMU) Position N331816 E0242740 HLLLFIR/HECCFIR Boundary , Lower /Upper Limit FL300/310, Any Westbound Traffic Enters HLLLFIR At Non Standard Level To Expect Level Change As Soon As Possible After Having Established Contact With Benghazi Control .	06 MAR 2018	PERM
SUP 13/18	AD Ubari HLUB	AD Available For National FLTTS Only, Prior Permission To Operate From TO AD IS Required By Notification Via AFTN AFS (HLLTYAYX) or FAX +218 21 3618075.	06 MAR 2018	UFN
SUP 17/18	AD Tamanhint HLTM	Aerodrome Geographical and Administrative Data.	08 MAY 2018	PERM
SUP 01/21	ENR	VHF 125.80 , 133.60 And 136.15 Are Unserviceable Ref AIP Page ENR 6.2-1.	28 JAN 2021	UFN
SUP 02/21	AD Tripoli HLLT	1- D/L FRQ 435 MHZ Withdrawn 2- Ref AIP Pages AD2 HLLT-33 And 41 ILS DME RWY 27 Respectively Missed Approach Changed As Follows: Climb Straight Ahead To 1500FT MSL Then Turn Right And Proceed To PE/L Climbing To 2000FT MSL And Hold 3-PN/L FRQ 344KHz Installed COOR. N324546.88 E0130911.87 (Operating Under Test) 4-IAP Chart TPI VOR/DME RWY27 And RWY 09 Is Suspended.	28 JAN 2021	PERM

SUP 09/21	AD Labraq HLLQ	ILB ILS RWY 28 Operating But Ground Checked Only.	01 JUN 2021	UFN
SUP 11/21	ENR	Secondary Surveillance Radar (SSR) U/S.	01 JUN 2021	UFN
SUP 13/21	ENR	The following temporary prohibited area within HLLL FIR 322826.95N E0114032.17 324025.55N E0113302.20 324933.62N E0115741.66 322843.597N E0122241.673 321224.363N E0121145.086 321319.03N E0113531.26 322826.95N E0114032.17 From GND to 45000FT.	09 JUN 2021	UFN
SUP 02/22	AD Sebha HLLS	First 300 M OF RWY 31 Closed.	14 FEB 2022	UFN
SUP 06/22	AD Tobruk HLTQ	VOR/DME FRQ 112.3 CH70X Operating But Ground Checked Only.	31 MAR 2022	UFN
SUP 07/22	AD Benina HLLB	VOR/DME FRQ 117.4 CH121X Operating BUT Ground Checked Only.	31 MAR 2022	UFN
SUP 10/22	AD Ghadames HLTD	VOR/DME FRQ 115.8 CH105X Operating But Ground Checked Only.	31 MAR 2022	UFN
SUP 03/23	AD Ghadames HLTD	AD CLOSED	11 MAY 2023	UFN
AIRAC SUP 01/23	AD Zintan HLZN	New Instrument Approach Charts VOR/DME ZNT FRQ 112.5 MHZ COOR 31.48.29.15N012.15.50.07E For RWY 02/20	15 JUN 2023	PERM
SUP 01/24	AD Ubari HLUB	AD Category For Fire Fighting CAT (6)	10 FEB 2024	PERM
SUP 02/24	AD Zwara HLZW	1. Operational Hours SR/SS 2.ATS AVBL Upon Request 3. AD Category For Fire Fighting CAT (5)	12 FEB 2024	UFN
AIRAC SUP 01/24	ENR	1. Withdrawn of Restricted area HL-R42 2. Rename Way Point RIGED to read KUNEB 3. Realignment the lateral limits of the Tripoli FIR/UIR.	22 FEB 2024	PERM
AIRAC SUP 03/24	AD Erawn HLER	New Four Letters Location Indicator HLER Allocated To Erawn AD. ARP: 255239.34N0110259.7E Elevation: 1850 FT Operational Hours: SR/SS Category for fire Fighting: CAT (4) RWY MAG: 03/21 RWY Dimension: 30 × 2100 RWY Surface: Sand .	16 MAY 2024	PERM
AIRAC SUP 04/24	AD Atshan HLAT	New Four Letters Location Indicator HLAT Allocated To Atshan AD. ARP: 271230.91N0103112.88E Elevation: 1444 FT AMSL Operational Hours: SR/SS Category for fire Fighting: CAT (4) RWY MAG 16/34 RWY Dimension: 30 × 1195 RWY Surface: Sand.	16 MAY 2024	PERM

SUP 04/24	ENR	ATS Route M600 Segment Between ZAWIA-GALPO Closed From GND to 45000FT.	18 MAY 2024	UFN
AIRAC SUP 05/24	AD Mitiga HLLM	Update IAC for RWY 10/28 1. Instrument Approach Chart VOR DME RWY 10 2. Instrument Approach Chart VOR DME RWY 28 3. Instrument Approach Chart ILS or LOC RWY 28.	11 JUL 2024	PERM
SUP 06/24	AD Ghat HLGT	1. AD Hours of Service SR/SS. 2. Ref AIP HLGT AD3.12 and AD3 HLGT-7 AD Chart , For Landing and take-off The available runway is 17/35 and The note regarding the closure of the runway 17/35 has been deleted. 3. Runway 06/24 Closed . 4. HLGT DVOR/DME GHT FRQ 114.8 CH95X Operating But Ground Checked Only Awaiting Flight Check . 5. AD Available For National Flights Only Prior Permission To Operate From/To AD Is Required By Advance Notification Via AFTN AFS (HLLTYAYX) or FAX +218 21 3618075 .	18 JUL 2024	UFN
SUP 07/24	AD Kufra HLKF	1. AD Hours Of Service H24. 2. Ref AIP HLKF AD 2.12 , 2.14 and HLKF-9 AD Chart , The note regarding operating runway 02L/20R in daylight only has been deleted. 3. Approach And Runway Lighting Data for RWY 02L/20R.	18 JUL 2024	UFN
SUP 08/24	AD Ghardabia HLGD	AD Control Tower Available Upon Request .	07 AUG 2024	UFN
AIRAC SUP 06/24	AD Mitiga HLLM	Established New SIDs & STARs Charts For RWY 10/28 Of Mitiga International Aerodrome.	05 SEP 2024	PERM
AIRAC SUP 07/24	ENR	1.Amend MAG Track for ATS routes A18, V200, V950, M7, M727, M600, N982, P126, P563and R845 . 2. Amend coordinates compulsory REP Point AMWAJ . 3. Amend coordinates compulsory REP Point IVAKI . 4. Amend coordinates compulsory REP Point KUTAB. 5. Amend coordinates compulsory REP Point REXUN. 6. Amend coordinates compulsory REP Point SAKKR . 7. Amend coordinates ZARZAITINE VOR/DME IMN .	05 SEP 2024	PERM
SUP 09/24	AD Zwara HLZW	AD Closed Due To ATS Communication Unserviceable .	28 SEP 2024	UFN
SUP 10/24	ENR	Strategic Lateral Offset Procedures (SLOP) In The Framework Of The Improvement Of Safety In Its Upper Airspace Between Flight level FL280 and FL460, Libya Implemented The Strategic lateral Offset Procedures (SLOP) within Tripoli FIR.	10 OCT 2024	UFN
AIRAC SUP 08/24	ENR	A new significant point (TUBEX) installed on ATS route P310 between MIS VOR and CIBIA , as follows:- • Coordinates: N322531 E0152145 • Distance from MIS VOR to TUBEX 16 NM radial 064° • Distance from MIS VOR to CIBIA 52 NM radial 064°.	28 NOV 2024	PERM
SUP 11/24	ENR	All Traffic Entering Tripoli FIR From Cairo FIR and N'djamena FIR Shall try to contact the following frequencies not less than 10 minutes prior to entering Tripoli FIR As follows:- 1. Traffic from Cairo FIR via LOSUL Shall contact Tobruk TWR on VHF 118.5 MHz. 2. Traffic from Cairo FIR via DITAR Shall contact Kufra TWR on VHF 121.9 MHz.	06 DEC 2024	UFN

		3. Traffic from N'djamena FIR via TONBA Shall contact Kufra TWR on VHF 121.9 MHz. 4. Traffic from N'djamena FIR via GARIN,TUMMO and DEKTU Shall contact Sebha TWR on VHF 119.1 MHz.		
SUP 01/25	ENR	Purpose Of This AIP Supplement Is To Update Data Relating To HF Frequencies And SATCOM Availability Within The Tripoli Flight Information Region.	07 MAR 2025	PERM
SUP 02/25	AD Tobruk HLTQ	1) Threshold of RWY 20 Displaced 250M 2) RWY 02/20 SWY And CWY Dimensions Amended As FLW: a) RWY 02 SWY 300×150 M CWY 300×150 M b) RWY 20 SWY 300×150 M CWY 300×150 M 3) Declared Distances Amended As FLW: a) RWY 02 TORA 3000M TODA 3300M ASDA 3300M LDA 3000M b) RWY 20 TORA 3000M TODA 3300M ASDA 3300M LDA 2750M.	16 MAR 2025	PERM
SUP 03/25	AD Mitiga HLLM	AD Category For Fire Fighting Upgraded To CAT (8).	27 MAR 2025	UFN
SUP 04/25	AD Mitiga HLLM	Ref AIP HLLM AD 2.18 Secondary TWR FREQ Changed To 120.250 MHz Instead Of 120.200 MHz.	10 APR 2025	PERM
AIRAC SUP 01/25	AD HLGD Ghardabia	a) Change ICAO Four Letters Location Indicator To Read HLGS Instead Of HLGD And Change AD Name To Read Sirte Gulf INTL. b) AD Category For Fire Fighting Upgraded To CAT(6). c) Established Of New RWY13/31. d) Update Other lighting Data.	17 APR 2025	PERM
SUP 05/25	AD HLLT Tripoli	1.AD Available Only For Ambulance and Special Flights. 2.AD ELEV 267FT. 3.AD HR OF OPS: SR/SS. 4.AD Category For Firefighting: CAT (6). 5.RWY AVBL: 18/36. 6.PCN: 74/F/A/W/U Asphalt . 7.RWY CLSD: 09/27. 8.Taxiways AVBL: B, D , N and S. 9.Taxiways CLSD: A ,C , E , F , G , H , J , K , L , M , R AND Y. 10.Aprons And Stands AVBL : Apron 1 Stands 2 and 3. 11.Aprons CLSD : Apron 5 and Apron 6. 12.ATS Communication Facilities : TWR FREQ 118.100 MHZ (Primary), 120.100 MHZ (Standby) GND FREQ 120.100 MHZ (Primary) , 121.900 MHZ (Standby)	20 MAY 2025	UFN
SUP 06/25	ENR,AD	Index of the AIP SUP.	30 MAY 2025	UFN

- This AIP SUP Replaces SUP 05/24.
- This AIP SUP Contains 4 Pages.

=====END=====