



STATE OF LIBYA
MINISTRY OF TRANSPORTATION

دولة ليبيا
وزارة المواصلات

TEL/FAX: + 218 21 5632338
AFS: HLLLYNYN.
Email: ais@caa.gov.ly
Website: www.caa.gov.ly/ais/

CIVIL AVIATION AUTHORITY
AIR NAVIGATION SERVICES DEPARTMENT
AERONAUTICAL INFORMATION SERVICE
(AIS)

AIP
Supplement 03/26
21 JAN 2026

- The Following Supplements Are Still Valid At 07:30 On 21 JAN 2026 , Supplement Not Included Have Either Been Cancelled, Time Expired, Superseded By Another AIP Supplement Or Incorporated In The AIP Libya.
- This list displays AIRAC and NON AIRAC AIP supplements in chronological order (oldest to newest) by their publication date.

NR/YEAR	Part	Details	WEF	Till
SUP 01/17	AD Zintan HLZN	Aerodrome Geographical And Administrative Data.	21 JUN 2017	PERM
SUP 06/17	AD Labraq HLLQ	1- LAQ VOR/DME Completely withdrawn 2-AD Fire fighting CAT (5). 3-New DVOR/DME Installed FRQ 116.3 MHz COORD N324730.48 E0215714.38 Operating under test.	14 SEP 2017	PERM
SUP 10/17	AD Ghadames HLTD	AD fire fighting CAT (5).	14 SEP 2017	PERM
SUP 11/17	AD Ubari HLUB	AD operational hours SR/SS.	14 SEP 2017	UFN
SUP 02/18	ENR	ZAW VOR/DME 117.7 MHZ unserviceable.	06 MAR 2018	UFN
SUP 03/18	ENR	WLD VOR/DME 115.9 MHZ unserviceable.	06 MAR 2018	UFN
SUP 04/18	ENR	IZD VOR/DME 116.5 MHZ unserviceable.	06 MAR 2018	UFN
SUP 13/18	AD Ubari HLUB	AD available for national flights only, prior permission to operate from to AD is required by Notification Via AFTN AFS (HLLTYAYX) or FAX +218 21 3618075.	06 MAR 2018	UFN
SUP 17/18	AD Tamanhint HLTM	Aerodrome geographical and Administrative Data.	08 MAY 2018	PERM
SUP 01/21	ENR	VHF 125.80 , 133.60 And 136.15 Are unserviceable Ref AIP Page ENR 6.2-1.	28 JAN 2021	UFN
SUP 02/21	AD Tripoli HLLT	1- D/L FRQ 435 MHZ Withdrawn 2- Ref AIP Pages AD2 HLLT-33 And 41 ILS DME RWY 27 Respectively Missed Approach Changed As Follows: Climb Straight Ahead To 1500FT MSL Then Turn Right And Proceed To PE/L Climbing To 2000FT MSL And Hold 3-PN/L FRQ 344KHz Installed COOR. N324546.88 E0130911.87 (Operating Under Test) 4-IAP Chart TPI VOR/DME RWY27 And RWY 09 Is Suspended.	28 JAN 2021	PERM
SUP 09/21	AD Labraq HLLQ	ILB ILS RWY 28 operating but ground checked only.	01 JUN 2021	UFN
SUP 11/21	ENR	Secondary surveillance radar (SSR) U/S.	01 JUN 2021	UFN
SUP 06/22	AD Tobruk HLTQ	VOR/DME FRQ 112.3 CH70X operating but ground checked only.	31 MAR 2022	UFN

SUP 07/22	AD Benina HLLB	VOR/DME FRQ 117.4 CH121X operating but ground checked only.	31 MAR 2022	UFN
SUP 10/22	AD Ghadames HLTD	VOR/DME GAD FRQ 115.8 CH105X operating but ground checked only.	31 MAR 2022	UFN
AIRAC SUP 01/23	AD Zintan HLZN	New instrument approach charts VOR/DME ZNT FRQ 112.5 MHz COOR 31.48.29.15N012.15.50.07E For RWY 02/20	15 JUN 2023	PERM
SUP 03/23	AD Ghadames HLTD	AD Closed	11 MAY 2023	UFN
SUP 01/24	AD Ubari HLUB	AD category for fire fighting CAT (6)	10 FEB 2024	PERM
SUP 02/24	AD Zwara HLZW	1. Operational hours SR/SS 2.ATS AVBL upon request 3. AD Category For Fire Fighting CAT (5)	12 FEB 2024	UFN
AIRAC SUP 05/24	AD Mitiga HLLM	Update IAC for RWY 10/28 1. Instrument Approach Chart VOR DME RWY 10 2. Instrument Approach Chart VOR DME RWY 28 3. Instrument Approach Chart ILS or LOC RWY 28.	11 JUL 2024	PERM
SUP 06/24	AD Ghat HLGT	1. AD Hours of Service SR/SS. 2. Ref AIP HLGT AD3.12 and AD3 HLGT-7 AD Chart , For Landing and take-off The available runway is 17/35 and The note regarding the closure of the runway 17/35 has been deleted. 3. Runway 06/24 Closed . 4. HLGT DVOR/DME GHT FRQ 114.8 CH95X Operating But Ground Checked Only Awaiting Flight Check . 5. AD Available For National Flights Only Prior Permission To Operate From/To AD Is Required By Advance Notification Via AFTN AFS (HLLTYAYX) or FAX +218 21 3618075 .	18 JUL 2024	UFN
SUP 07/24	AD Kufra HLKF	1. AD hours of service H24. 2. Ref AIP HLKF AD 2.12 , 2.14 and HLKF-9 AD Chart , the note regarding operating runway 02L/20R in daylight only has been deleted. 3. Approach and runway lighting data for RWY 02L/20R.	18 JUL 2024	UFN
AIRAC SUP 06/24	AD Mitiga HLLM	Established new SIDs & STARs charts for RWY 10/28 of Mitiga international aerodrome.	05 SEP 2024	PERM
SUP 08/24	AD Ghardabia HLGD	AD control tower available upon request .	07 AUG 2024	UFN
SUP 10/24	ENR	Strategic Lateral Offset Procedures (SLOP) In the framework of the improvement of safety in its upper airspace between flight level FL280 and FL460, Libya implemented the strategic lateral offset procedures (SLOP) within Tripoli FIR.	10 OCT 2024	UFN
SUP 11/24	ENR	All traffic entering Tripoli FIR from Cairo FIR and N'djamena FIR shall try to contact the following frequencies not less than 10 minutes prior to entering Tripoli FIR As follows:- 1. Traffic from Cairo FIR via LOSUL Shall contact Tobruk TWR on VHF 118.5 MHz. 2. Traffic from Cairo FIR via DITAR Shall contact Kufra TWR on VHF 121.9 MHz. 3. Traffic from N'djamena FIR via TONBA Shall contact Kufra TWR on VHF 121.9 MHz.	06 DEC 2024	UFN

		4. Traffic from N'djamena FIR via GARIN,TUMMO and DEKTU Shall contact Sebha TWR on VHF 119.1 MHz.		
AIRAC SUP 01/25	AD Ghardabia HLGD	a) Change ICAO Four Letters Location Indicator To Read HLGS Instead Of HLGD And Change AD Name To Read Sirte Gulf . b) AD Category For Fire Fighting Upgraded To CAT(6). c) Established Of New RWY13/31. d) Update Other lighting Data.	17 APR 2025	PERM
SUP 01/25	ENR	Purpose Of This AIP Supplement Is To Update Data Relating To HF Frequencies And SATCOM Availability Within The Tripoli Flight Information Region.	07 MAR 2025	PERM
SUP 02/25	AD Tobruk HLTQ	1) Threshold of RWY 20 Displaced 250M 2) RWY 02/20 SWY And CWY Dimensions Amended As FLW: a) RWY 02 SWY 300×150 M CWY 300×150 M b) RWY 20 SWY 300×150 M CWY 300×150 M 3) Declared Distances Amended As FLW: a) RWY 02 TORA 3000M TODA 3300M ASDA 3300M LDA 3000M b) RWY 20 TORA 3000M TODA 3300M ASDA 3300M LDA 2750M.	16 MAR 2025	PERM
SUP 03/25	AD Mitiga HLLM	AD Category For Fire Fighting Upgraded To CAT (8).	27 MAR 2025	UFN
SUP 04/25	AD Mitiga HLLM	Ref AIP HLLM AD 2.18 Secondary TWR FREQ Changed To 120.250 MHz Instead Of 120.200 MHz.	10 APR 2025	PERM
SUP 05/25	AD Tripoli HLLT	1.AD Available Only For Ambulance and Special Flights. 2.AD ELEV 267FT. 3.AD HR OF OPS: SR/SS. 4.AD Category For Firefighting: CAT (6). 5.RWY AVBL: 18/36. 6.PCN: 74/F/A/W/U Asphalt . 7.RWY CLSD: 09/27. 8.Taxiways AVBL: B, D , N and S. 9.Taxiways CLSD: A ,C , E , F , G , H , J , K , L , M , R AND Y. 10.Aprons And Stands AVBL : Apron 1 Stands 2 and 3. 11.Aprons CLSD : Apron 5 and Apron 6. 12.ATS Communication Facilities : TWR FREQ 118.100 MHZ (Primary), 120.100 MHZ (Standby) GND FREQ 120.100 MHZ (Primary) , 121.900 MHZ (Standby)	20 MAY 2025	UFN
SUP 07/25	AD Sirte Gulf HLGS	RWY 18/36 Closed due to WIP.	15 JUL 2025	UFN
SUP 08/25	AD Tobruk HLTQ	1. ARP: 315229.66N 0235416.23E 2. THR RWY 02: 315057.70N 0235337.57E 3. THR RWY 20: 315228.81N 0235417.03E 4. DTHR RWY 20: 315221.28N 0235413.76E 5. ABN/IBN: 315156.66N 0235504.82E 6. VOR/DME TBQ: 315126.10N 0235443.11E 7. NDB GN: 315012.32N 0235552.82E	01 SEP 2025	PERM
SUP 09/25	ENR	All flights utilizing ATS routes intersecting at SEB VOR/DME shall contact Sebha tower on frequency 119.100 MHz when approaching SEB VOR/DME, but not less than 180 NM from SEB VOR/DME. This requirement applicable to the following ATS routes : A403,G655,G858,J850,W858,M214,M709 AND M999.	08 SEP 2025	PERM
SUP 10/25	AD Tripoli HLLT	VOR/DME TPI Data amended as follows: 1. Coordinates to read 323940.79N 0130917.55E instead of published. 2. Operating frequency to read 114.500 MHz CH 92X instead	09 SEP 2025	PERM

		of 114.600 MHz		
SUP 11/25	AD Zintan HLZN	Runway 02/20 Data Amended As Follows: 1. Runway Dimensions And Threshold Coordinates. RWY Dimensions SWY CWY THR COORD 02 2565×45m NIL NIL 314537.32N121438.54E 20 2565×45m NIL NIL 314655.93N121511.21E 2. Runway 02/20 Declared Distances. RWY TORA TODA ASDA LDA 02 2565m 2565m 2565m 2565m 20 2565m 2565m 2565m 2565m	10 SEP 2025	PERM
AIRAC SUP 03/25	AD Tripoli HLLT	NEW INSTRUMENT APPROACH CHART– ICAO VOR/DME RWY 18 NEW INSTRUMENT APPROACH CHART– ICAO VOR/DME RWY 36 NEW VISUAL APPROACH CHART– ICAO RWY 18/36	27 NOV 2025	PERM
SUP 12/25	AD Sebha HLLS	1. AD Category for fire fighting CAT 6. 2. RWY 06/24 Closed. 3. First 300M of RWY 13 Closed. No landing, take-off or taxi permitted on closed portion. 4. First 300M of RWY 31 Closed for Landing. Closed portion available for Take-off roll and taxi only. 5. TWY C closed due to WIP. 6. TWY D Portion between TWY A and THR of RWY 13 Closed due to WIP. 7. TWY E Closed due to WIP. 8. Stand 1 and stand 2 on the main apron closed.	13 OCT 2025	UFN
SUP 13/25	AD Labraq HLLQ	REF AIP AD 2 HLLQ, The following amendments are made: 1. RWY 03/21 CLSD. 2. RWY 10/28 Width amended TO 40M Instead OF 49M.	19 OCT 2025	PERM
SUP 14/25	AD Benina HLLB	ILS-LOC,GP RWY 33L Completely withdrawn	19 OCT 2025	PERM
SUP 15/25	ENR	All traffic intending to cross the FIR boundary between Tripoli FIR (HLLL) and Algiers FIR (DAAA) via points TWARG and IMN shall contact the appropriate ATS unit at least 15 minutes prior to reaching the FIR boundary, as follows: 1. For traffic entering Tripoli FIR (HLLL) from Algiers FIR (DAAA): Contact Tripoli Control on VHF 120.9 MHz, 128.4 MHz or HF 5517 kHz, 11300 kHz. 2. For traffic entering Algiers FIR (DAAA) from Tripoli FIR (HLLL): a. Via TWARG Contact Algiers Control on VHF 123.8 MHz b. Via IMN Contact Algiers Control on VHF 124.1 MHz. Note: HF frequencies 8894 kHz and 5652 kHz are also available to contacting Algiers Control for both entry points.	08 DEC 2025	UFN
AIRAC SUP 01/26	ENR	change name code designator of the following waypoints WPT ALBEY to read PUSKO WPT AMTAR to read ALTOP WPT ATOLL to read EGTIT WPT BAGLI to read EMADU WPT BOURI to read BOTUG WPT BREAM to read PATIV WPT CONCH to read NISMA WPT GWASM to read RABTA WPT HAMOR to read SIMKU WPT HAMRA to read IMLES WPT HITAN to read IVARO WPT KHOMS to read KAPAD WPT MAGNA to read MUSDA	22 JAN 2026	PERM

		WPT NGIRT to read TUMON WPT PUFER to read ELAVI WPT SAHRA to read BONIP WPT SAKKR to read PURTA WPT SAMAK to read SODOV WPT SHATI to read ELITI WPT SHELL to read SIKLU WPT SKATE to read SIKTI WPT SWIRF to READ RIKAB WPT VATAX to read ZIGIN WPT WHALE to read DEBTO		
SUP 01/26	AD Tripoli HLLT	AD Operational hours are now H24.	16 JAN 2026	PERM
SUP 03/26	AD,ENR	Index to the AIP SUP.	21 JAN 2026	UFN

- This AIP SUP Replaces SUP 02/26.
- This AIP SUP Contains 5 Pages.

=====END=====