

## AD 3.2 NATIONAL AND PRIVATE AERODROMES

## HLBK AD 3.1 AERODROME LOCATION INDICATOR AND NAME

HLBK - BURDI / Kambut

## HLBK AD 3.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	N315006.40 E0243619.90 (WGS-84)
2	Direction and distance from city	Nil
3	Elevation/Reference temperature	20 ft
4	Geoid undulation at AD ELEV PSN	Nil
5	MAG VAR/Annual change	3° E
6	AD Administration, address, telephone, telefax, telex, AFS, SITA, Email	LCAA International Airport Tripoli Tel/Fax: 00218-21-5630219 Fax: 00218-21-53222 Telex: 20353 CAA LY AFS: HLLTYFYX/HLLTYTYX SITA: TIPYAXS Email: aftn.amhs@gmail.com
7	Types of traffic permitted (IFR/VFR)	IFR / VFR
8	Remarks	Nil

## HLBK AD 3.3 OPERATIONAL HOURS

1	AD Administration	H24
2	Customs and immigration	On request
3	Health and sanitation	Nil
4	AIS Briefing Office	Nil
5	ATS Reporting Office (ARO)	Nil
6	MET Briefing Office	Nil
7	ATS	Nil
8	Fuelling	On request
9	Handling	Nil
10	Security	Nil
11	De-icing	Nil
12	Remarks	Nil

## HLBK AD 3.4 HANDLING SERVICES AND FACILITIES

1	Cargo handling facilities	Nil
2	Fuel/oil types	Nil
3	Fuelling facilities/capacity	Nil
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	Nil

**HLBK AD 3.5 PASSENGER FACILITIES**

1	Hotels	Nil
2	Restaurants	Nil
3	Transportation	Nil
4	Medical facilities	Ambulance - On request
5	Bank and Post Office	Nil
6	Tourist Office	Nil
7	Remarks	Nil

**HLBK AD 3.6 RESCUE AND FIRE FIGHTING SERVICES**

1	AD category for fire fighting	On request
2	Rescue equipment	Nil
3	Capability for removal of disabled aircraft	Nil
4	Remarks	Nil

**HLBK AD 3.7 SEASONAL AVAILABILITY - CLEARING**

1	Types of clearing equipment	Nil
2	Clearance priorities	Nil
3	Remarks	Nil

**HLBK AD 3.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA**

1	Apron surface and strength	Nil
2	Taxiway width, surface and strength	Nil
3	Altimeter checkpoint location and elevation	Nil
4	VOR checkpoints	Nil
5	INS checkpoints	Nil
6	Remarks	Nil

**HLBK AD 3.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS**

1	Use of aircraft stand ID signs, TWY guidelines and visual docking/parking guidance system of aircraft stands	Nil
2	RWY and TWY markings and LGT	Nil
3	Stop bars	Nil
4	Remarks	Nil

**HLBK AD 3.10 AERODROME OBSTACLES**

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		
RWY NR. Area affected	Obstacle type Elevation Markings/LGT	Coord.	Obstacle type Elevation Markings/LGT	Coord.	Nil
a	b	c	a	b	
Nil	Nil	Nil	Nil	Nil	

## HLBK AD 3.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Nil
2	Hours of service MET Office outside hours	Nil
3	Office responsible for TAF preparation Periods of validity	Nil
4	Trend forecast Interval of issuance	Nil
5	Briefing/consultation provided	Nil
6	Flight documentation language(s) used	Nil
7	Charts and other information available for briefing or consultation	Nil
8	Supplementary equipment available for providing information	Nil
9	ATS units provided with information	Nil
10	Additional information (limitation of service, etc.)	Nil

## HLBK AD 3.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY (m)	Strength (PCN) and surface of RWY and SWY	THR coord. RWY end coord. THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
15	150°	1800 x 30	PCN 60 Asphalt	N315030.50 E0243603.40	THR 20 ft
33	330°			N314940.70 E0243637.50	THR 20 ft
Designations RWY NR	Slope of RWY - SWY	SWY dimensions (m)	CWY dimensions (m)	Strip dimensions (m)	OFZ
1	7	8	9	10	11
15	Nil	60 x 30	Nil	Nil	Nil
33	Nil	60 x 30	Nil		Nil
Designations RWY NR	Remarks				
1	12				
15	Nil				
33	Nil				

## HLBK AD 3.13 DECLARED DISTANCES

RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)	Remarks
1	2	3	4	5	6
15	1800	1800	1860	1800	Nil
33	1800	1800	1860	1800	Nil

**HLBK AD 3.14 APPROACH AND RUNWAY LIGHTING**

RWY Designator	APCH LGT Type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ LGT LEN	RWY CL LGT LEN spacing colour INTST	RWY Edge LGT LEN spacing colour INTST	RWY End LGT colour WBAR	SWY LGT LEN colour	Remarks
1	2	3	4	5	6	7	8	9	10
15	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil
33									

**HLBK AD 3.15 OTHER LIGHTING, SECONDARY POWER SUPPLY**

1	ABN/IBN location, characteristics and hours of operations	Nil
2	LDI location and LGT Anemometer location and LGT	Nil
3	TWY edge and centre line lighting	Nil
4	Secondary power supply/ Switch-over time	Nil
5	Remarks	Nil

**HLBK AD 3.16 HELICOPTER LANDING AREA**

Nil

**HLBK AD 3.17 ATS AIRSPACE**

1	Designation and lateral limits	Nil
2	Vertical limits	Nil
3	Airspace classification	Nil
4	ATS unit call sign language(s)	Nil
5	Transition altitude/Transition level	Nil
6	Remarks	Nil

**HLBK AD 3.18 ATS COMMUNICATION FACILITIES**

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
TWR	Kambut Airfield	118.500 MHz	On request	Nil

**HLBK AD 3.19 RADIO NAVIGATION AND LANDING AIDS**

Type of aid, MAG VAR CAT of ILS/MLS (For VOR/ILS/MLS, give declination)	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
NDB	OM	344 KHz	H24	N315114.90 E0243532.90	Nil	Nil

**HLBK AD 3.20 LOCAL TRAFFIC REGULATIONS**

Nil

**HLBK AD 3.21 NOISE ABATEMENT PROCEDURES**

Nil

**HLBK AD 3.22 FLIGHT PROCEDURES**

Nil

**HLBK AD 3.23 ADDITIONAL INFORMATION**

Nil

**HLBK AD 3.24 CHARTS RELATED TO THE AERODROME**

AERODROME CHART - ICAO

AD 3 HLBK-7

**INTENTIONALLY  
BLANK**


AERODROME  
CHART - ICAO

WGS-84

AD ELEV 20 FT

TWR 118.500

BURDI, LIBYA  
Kambut



AMENDMENT: New chart.

RWY	DIRECTION	THRESHOLD	DECLARED DISTANCES				AERODROME LIGHTING
			TORA	TODA	ASDA	LDA	
15	147° MAG	N 31 50 30.50 E 024 36 03.40	1800	1800	1860	1800	Rwy 15/33: Nil
33	327° MAG	N 31 49 40.70 E 024 36 37.50	1800	1800	1860	1800	

**INTENTIONALLY  
BLANK**