

## HLUB AD 3.1 AERODROME LOCATION INDICATOR AND NAME

HLUB - UBARI / Ubari

## HLUB AD 3.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	N263403.48 E0124923.22 (WGS-84)
2	Direction and distance from city	3 km
3	Elevation/Reference temperature	1528 ft
4	Geoid undulation at AD ELEV PSN	Nil
5	MAG VAR/Annual change	1.6° E (2012)
6	AD Administration, address, telephone, telefax, AFS	Tel: 00218-71-7622729 00218-71-7622721 00218-71-7622919
7	Types of traffic permitted (IFR/VFR)	IFR / VFR
8	Remarks	Nil

## HLUB AD 3.3 OPERATIONAL HOURS

1	AD Administration	SS - SR
2	Customs and immigration	Nil
3	Health and sanitation	Nil
4	AIS Briefing Office	Nil
5	ATS Reporting Office (ARO)	Nil
6	MET Briefing Office	Nil
7	ATS	Nil
8	Fuelling	Nil
9	Handling	Nil
10	Security	Yes
11	De-icing	Nil
12	Remarks	Nil

## HLUB AD 3.4 HANDLING SERVICES AND FACILITIES

1	Cargo handling facilities	Nil
2	Fuel/oil types	Nil
3	Fuelling facilities/capacity	Nil
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	Nil

## HLUB AD 3.5 PASSENGER FACILITIES

1	Hotels	In the city
2	Restaurants	In the city
3	Transportation	Taxi
4	Medical facilities	In the city
5	Bank and Post Office	In the city
6	Tourist Office	In the city
7	Remarks	Nil

**HLUB AD 3.6 RESCUE AND FIRE FIGHTING SERVICES**

1	AD category for fire fighting	CAT 4
2	Rescue equipment	Nil
3	Capability for removal of disabled aircraft	Nil
4	Remarks	Nil

**HLUB AD 3.7 SEASONAL AVAILABILITY - CLEARING**

1	Types of clearing equipment	Nil
2	Clearance priorities	Nil
3	Remarks	Nil

**HLUB AD 3.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA**

1	Apron surface and strength	85 LCN
2	Taxiway width, surface and strength	45 m, 65 LCN
3	Altimeter checkpoint location and elevation	Nil
4	VOR checkpoints	Nil
5	INS checkpoints	Nil
6	Remarks	Nil

**HLUB AD 3.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS**

1	Use of aircraft stand ID signs, TWY guidelines and visual docking/parking guidance system of aircraft stands	Nil
2	RWY and TWY markings and LGT	Nil
3	Stop bars	Nil
4	Remarks	Nil

**HLUB AD 3.10 AERODROME OBSTACLES**

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		
RWY NR. Area affected	Obstacle type Elevation Markings/LGT	Coord.	Obstacle type Elevation Markings/LGT	Coord.	Nil
a	b	c	a	b	
Nil	Nil	Nil	Nil	Nil	

## HLUB AD 3.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Nil
2	Hours of service MET Office outside hours	Nil
3	Office responsible for TAF preparation Periods of validity	Nil
4	Trend forecast Interval of issuance	Nil
5	Briefing/consultation provided	Nil
6	Flight documentation language(s) used	Nil
7	Charts and other information available for briefing or consultation	Nil
8	Supplementary equipment available for providing information	Nil
9	ATS units provided with information	Nil
10	Additional information (limitation of service, etc.)	Nil

## HLUB AD 3.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY (m)	Strength (PCN) and surface of RWY and SWY	THR coord. RWY end coord. THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
09	097°	2447 x 45	PCN 65 Asphalt	N263408.10 E0124840.26	THR 1525 ft
27	277°			N263358.56 E0125008.04	THR 1528 ft
Designations RWY NR	Slope of RWY - SWY	SWY dimensions (m)	CWY dimensions (m)	Strip dimensions (m)	OFZ
1	7	8	9	10	11
09	Nil	200 x 45	Nil	Nil	Nil
27	Nil	200 x 45	Nil	Nil	Nil
Designations RWY NR	Remarks				
1	12				
09	Highest Obstacle is 800' AGL. / No THR markings				
27	No THR markings				

## HLUB AD 3.13 DECLARED DISTANCES

RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)	Remarks
1	2	3	4	5	6
09	2447	2447	2647	2447	Nil
27	2447	2447	2647	2447	Nil

**HLUB AD 3.14 APPROACH AND RUNWAY LIGHTING**

RWY Designator	APCH LGT Type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ LGT LEN	RWY CL LGT LEN spacing colour INTST	RWY Edge LGT LEN spacing colour INTST	RWY End LGT colour WBAR	SWY LGT LEN colour	Remarks
1	2	3	4	5	6	7	8	9	10
09	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil
27	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil

**HLUB AD 3.15 OTHER LIGHTING, SECONDARY POWER SUPPLY**

1	ABN/IBN location, characteristics and hours of operations	Nil
2	LDI location and LGT Anemometer location and LGT	Nil
3	TWY edge and centreline lighting	Nil
4	Secondary power supply/ Switch-over time	Nil
5	Remarks	Nil

**HLUB AD 3.16 HELICOPTER LANDING AREA**

Nil

**HLUB AD 3.17 ATS AIRSPACE**

1	Designation and lateral limits	Nil
2	Vertical limits	Nil
3	Airspace classification	Nil
4	ATS unit call sign language(s)	Nil
5	Transition altitude/Transition level	Nil
6	Remarks	Nil

**HLUB AD 3.18 ATS COMMUNICATION FACILITIES**

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
TWR	Ubari Tower	125.300 MHz	HO	Nil

**HLUB AD 3.19 RADIO NAVIGATION AND LANDING AIDS**

Type of aid, MAG VAR CAT of ILS/MLS (For VOR/ILS/MLS, give declination)	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
NDB	UBR	417 KHz	H24	N263551.72 E0124647.58	Nil	Nil
L	UBA	435 KHz	HO	N263413.02 E0124925.80	Nil	Nil

**HLUB AD 3.20 LOCAL TRAFFIC REGULATIONS**

Nil

**HLUB AD 3.21 NOISE ABATEMENT PROCEDURES**

Nil

**HLUB AD 3.22 FLIGHT PROCEDURES**

Nil

**HLUB AD 3.23 ADDITIONAL INFORMATION**

Nil

**HLUB AD 3.24 CHARTS RELATED TO THE AERODROME**

AERODROME CHART - ICAO

AD 3 HLUB-7

**INTENTIONALLY  
BLANK**


AERODROME  
CHART - ICAO

WGS-84

AD ELEV 1528 FT

TWR 125.300

UBARI, LIBYA  
Ubari



AMENDMENT: New edition.

**AERODROME LIGHTING**  
RWY 09: Nil  
RWY 27: Nil

RWY	DIRECTION	THRESHOLD	DECLARED DISTANCES			TORA	ASDA	LDA
			TORA	TODA	ASDA			
09	095° MAG	N 26 34 08.10 E 012 48 40.26	2447	2447	2647	2447	2647	2447
27	275° MAG	N 26 33 58.56 E 012 50 08.04	2447	2447	2647	2447	2647	2447

**INTENTIONALLY  
BLANK**